


MR. BIG STUFF



Coreopsis verticillata 'Zagreb'



Aster cordifolius



Rudbeckia laciniata

'Mr. Big Stuff' - 5" Torpedo Plugs & 2.25" Mass Planting Plugs
Landscape Restoration - Native Herbaceous Plants

- Amsonia hubrichtii (Thread-leaf blue star)**
Powder blue flowers in spring; 24-36"; full sun; rocky outcrops and dry creek banks; zone 4-9.
- Aquilegia canadensis (Wild Columbine)**
Red/yellow flowers in spring; 24-36"; full sun to part shade; rocky woods & slopes; zone 3-8.
- Asclepias incarnata (Swamp milkweed)**
Pink flowers in spring; 4-6'; full sun to part shade; marshes, meadows, swamps & woods; zone 3-6.
- Aster cordifolius (Heart-leaved aster)**
Blue flowers in early fall; 1-5'; part shade to full shade; dry woods and dry meadows; zone 3-8.
- Aster divaricatus (White wood aster)**
White flowers in late summer; 24-36"; part shade to full shade; dry woods and clearings; zone 3-8.
- Aster laevis (Smooth aster)**
Blue flowers in late summer to fall; 2-4'; full sun; open woods, meadows and fields; zone 4-8.
- Aster novae-angliae (New England aster)**
Violet flowers in late summer-early fall; 2-6'; full sun to part shade; open woods, shores, meadows; zone 3-8.
- Aster o. 'October Skies' (Aromatic aster)**
Sky blue flowers in late summer to early fall; 18-24"; full sun; meadows & open woods; zone 3-8.
- Aster o. 'Raydon's Favorite' (Aromatic aster)**
Medium blue flowers in fall; 24-36"; full sun; meadows & open woods; zone 3-8.
- Baptisia australis (False indigo)**
Purple flowers in May-June; 3-5'; full sun to part shade; open woods, stream banks & floodplains; zone 3-9'
- Ceanothus americanus (New Jersey tea)**
Deciduous shrub with fragrant white flowers in May-July; 36-48"; full sun to part shade; zone 4-8.
- Chelone glabra (White turtlehead)**
White flowers in late summer to fall; 24-36"; full sun to part shade; upland meadows, fields & stream banks; zone 3-8.
- Chelone lyonii 'Hot Lips' (Pink turtlehead)**
Pink flowers in late summer; 24-36"; full sun to part shade; wet woodlands and stream banks; zone 3-8.
- Coreopsis v. 'Moonbeam' (Tickseed)**
Lemon yellow flowers in summer; 15-18"; full sun; dry open woods and clearings; zone 3-9.
- Coreopsis v. 'Zagreb' (Tickseed)**
Golden yellow flowers in summer; 18"; full sun; dry open woods and clearings; zone 3-9.
- Echinacea purpurea (Purple coneflower)**
Purplish pink flowers in summer; 2-5'; full sun; moist prairies, meadows and open woods; zone 3-8'
- Eupatorium coelestinum (Blue mistflower)**
Blue flowers in summer to fall; 18-36"; full sun to part shade; meadows, dry woods, thickets, stream banks; zone 5-10.
- Eupatorium dubium (Joe-Pye weed)**
Purple flowers in summer to fall; 2-5'; full sun to part shade; swamps, bogs and marshes; zone 3-9.
- Eupatorium fistulosum (Joe-Pye weed)**
Purple flowers in summer to fall; 2-10'; full sun to part shade; floodplains, meadows & thickets; zone 3-9.
- Heuchera villosa 'Autumn Bride' (Hairy alumroot)**
Creamy white flower panicles in late summer; 12-18"; full sun to part shade; open woods, moist, shady rocky ledges; zone 4-9.
- Hibiscus moscheutos (Swamp rosemallow)**
Large pink to white flowers in late summer; 3-7'; full sun to part shade; marshes and lake shores; zone 5-8.

Minimum order of 500 plugs - See page 144 for non-native Mr. Big Stuff

- Iris versicolor (Blue flag)**
Blue flowers in early summer; 3'; full sun to part shade; fresh to moderately brackish tidal marshes, meadows & swamps; zone 3-9.
- Liatris microcephala (Dwarf blazing star)**
Rose purple flower spikes in late summer; 18-24"; full sun to part shade; sandy, dry prairies and open glades; zone 4-7.
- Liatris spicata (Gayfeather/ Blazing star)**
Rose purple flower spikes in summer; 1-6'; full sun to part shade; moist meadows; zone 3-8.
- Lobelia cardinalis (Cardinal flower)**
Red flowers in summer to fall; 24-48"; full sun to part shade; fresh water marshes, wooded swamps, river & stream banks; zone 3-9.
- Lobelia siphilitica (Great blue lobelia)**
Blue flower spikes in late summer to fall; 1-5'; full sun to part shade to full shade; woodlands, meadows & swamps; zone 4-9.
- Monarda didyma (Bee balm/ Oswego tea)**
Red flowers in summer; 2-5'; full sun to part shade; moist woods, stream banks and floodplains; zone 4-9.
- Monarda fistulosa (Wild bergamot)**
Lavender-pink flowers in summer; 2-4'; dryish prairies, rocky woods, roadsides; zone 3-9.
- Penstemon digitalis (Beardtongue)**
White flowers in late spring to late summer; 2-5'; full sun to part shade; open woods & meadows; zone 3-8.
- Phlox divaricata (Woodland phlox)**
Blue flowers in spring; 10-12"; part shade to full shade; open woods & meadows; zone 3-8.
- Phlox paniculata (Summer phlox)**
Pink to reddish-purple to white flowers in summer to fall; 3-6'; full sun to part shade; open woods, stream banks & thickets; zone 4-8.
- Phlox stolonifera (Creeping phlox)**
Blue to violet to reddish-purple flowers in spring; 6-18"; full sun to part shade; rich woods; zone 5-9.
- Phlox subulata (Moss phlox)**
Rose to pink to white flowers in spring; 4-6"; full sun; rock crevices and ledges; zone 3-9.
- Pycnanthemum muticum (Short-toothed mountain mint)**
Pinkish flowers in summer and aromatic foliage; 24-36"; full sun to part shade; moist woods and meadows; zone 4-8.
- Rudbeckia f. 'Goldsturm' (Black-eyed Susan)**
Golden yellow rays around black cones in summer; 24-36"; full sun; moist fields and meadows; zone 3-9.
- Rudbeckia fulgida var. deamii (Black-eyed Susan)**
Golden yellow-orange rays and chocolate brown cones in summer to fall; 36"; full sun; moist fields and meadows; zone 4-9.
- Rudbeckia fulgida var. fulgida (Black-eyed Susan)**
Golden yellow rays around black cones in summer to fall; 24-30"; full sun; moist fields and meadows; zone 5-7.
- Rudbeckia laciniata (Cutleaf coneflower)**
Yellow rays around green cones in summer; 2-10'; full sun to part shade; floodplains, stream banks and fields; zone 3-9.
- Rudbeckia maxima (Great coneflower)**
Yellow rays around brown cones in mid-summer; 5-7'; full sun; open wooded areas, moist prairies and pastures; zone 4-9.
- Sedum ternatum (Wild stonecrop)**
White flowers in spring; 4-6"; full sun to part shade; damp rocks, rocky banks and woods; zone 4-8.
- Solidago flexicaulis (Broad leaf goldenrod)**
Yellow flowers in summer; 1-3'; full sun to part shade; moist woods and rocky wooded slopes; zone 3-8.
- Solidago nemoralis (Gray, dwarf, or old-field goldenrod)**
Yellow flowers in late summer through fall; 6-24"; full sun to part shade; fields and open woods; zone 3-9.
- Solidago rugosa 'Fireworks' (Goldenrod)**
Yellow flowers in late summer; 3-4'; full sun to part shade; fields, woods and floodplains; zone 4-9.
- Tiarella cordifolia (Foamflower)**
White flowers in spring and early summer; 12-18"; part shade to full shade; rich woods and moist rocky slopes; zone 4-8.
- Tradescantia ohioensis (Spiderwort)**
Deep blue to purple flowers in summer; 24-36"; full sun to part shade; prairies, wood edges and meadows; zone 4-9.
- Vernonia noveboracensis (New York ironweed)**
Purple flowers in late summer to fall; 4-8'; full sun to part shade; stream banks, fields and fresh water marshes; zone 5-8.



Carex pensylvanica



Andropogon virginicus



Carex appalachica



Panicum virgatum

Landscape Restoration - Native Grasses and Grass-like Plants

- Andropogon gerardii (Big bluestem)**
Clump forming with flowers in late summer; 2-6'; full sun; dry to medium open woods, fields and shores; zone 4-9.
- Andropogon virginicus (Broom sedge)**
Grows in tufts with reddish brown flowers in late summer to fall; 2-3'; wet meadows and transition areas; zone 5-8.
- Bouteloua curtipendula (Sideoats grama)**
Oat-like spikelets in summer to fall and spreads by rhizomes; 18-24"; full sun; open rocky woodlands and prairies; zone 3-9.
- Carex amphibola (Creek sedge)**
Clump former with narrow green foliage; 8-12"; full sun to part shade to full shade; upland woods and floodplains; zone 3-9.
- Carex appalachica (Appalachian sedge)**
Fine textured and clump forming; 12"; part shade to shade; dry woods; zone 3-8.
- Carex laxiculmis (Spreading sedge)**
Spreading foliage is glaucous to pale green; 8"; part shade to full shade; stream valleys and moist woods; zone 5-9.
- Carex muskingumensis (Palm Sedge)**
Green grassy foliage spreads by rhizomes; 2-3'; full sun to part shade; zone 4-7.
- Carex pensylvanica (Pennsylvania sedge)**
Spreading fine textured green foliage; 8-10"; part shade to full shade; open or rocky woods and wooded slopes; zone 4-8.
- Carex radiata (Eastern star sedge)**
Dense tufts of bright green foliage; 12-24"; part shade; moist deciduous woodlands and slopes and ravines; zone 4-8.
- Carex stricta (Tussock sedge)**
Clump grower that tolerates flooding to 6"; 2-3'; full sun to part shade; freshwater marshes, swamps and forested wetlands; zone 5-8.
- Carex vulpinoidea (Fox sedge)**
Clump grower that tolerates flooding to 6"; 1-3'; full sun to part shade; shallow marshes, wet meadows, swamps & prairies; zone 3-7.
- Chasmanthium latifolium (Northern sea oats)**
Clump forming, upright foliage with oat-like seed heads; 2-5'; full sun to part shade; stream banks and alluvial woods; zone 5-9.

Minimum order of 500 plugs - See page 144 for non-native Mr. Big Stuff

Mr. Big Stuff

Mr. Big Stuff

Eragrostis spectabilis (Purple lovegrass)

Somewhat clump-forming with reddish-purple inflorescence in late summer; 1-2'; sandy, rocky open ground; zone 5-9.

Deschampsia cespitosa (Tufted hair grass)

Airy panicles appear in summer above narrow green foliage; 3-4'; part shade to full shade; cool season, clum forming; zone 4-8.

Juncus effusus (Soft rush)

Clump-forming, stiff, upright foliage; 2-4'; full sun to part shade; freshwater wetlands, marshes and ditches; zone 2-9.

Muhlenbergia capillaris (Pink muhlygrass)

Clump-forming, stiff, narrow foliage with pinkish-red inflorescences; 2-3'; full sun to part shade; open woods and glades; zone 5-9.

Panicum virgatum (Switchgrass)

Blue-green foliage turns yellow in fall; 3-6'; full sun to part shade; fresh and brackish marshes, wet meadows and dunes; zone 2-9.

Panicum virgatum 'Shenandoah' (Switchgrass)

Burgundy-red foliage in fall; 4'; full sun; prairie or meadow; zone 5-9.

Scirpus validus (Soft-stem bulrush)

Triangular stems with brown inflorescences; 6-8'; full sun; fresh or brackish marshes, wet meadows and lake shores; zone 3-9.

Sporobolus heterolepis (Prairie dropseed)

Fine-textured green foliage turns brownish-orange in fall; 2-3'; full sun; prairies, glades and open grounds; zone 3-9.



Iris versicolor



Eupatorium dubium

Sagittaria latifolia (Duck potato/ broadleaf arrowhead)

White flowers in summer; 1-4'; full sun to part shade; fresh to moderately brackish marshes, shallow ponds or lakes; zone 5-10.

Saururus cernus (Lizard's tail)

White flowers in mid to late summer; 1-4'; full sun to part shade; fresh water marshes, swamps and shallow water; zone 3-9.

Typha angustifolia (Narrowleaf cattail) - Introduced

Brown fuzzy cylindrical flower spikes; Leaves narrower than T. latifolia; 3-6'; full sun; marshes, swamps and wetlands; zone 3-10.

Typha latifolia (Cattail) - Native

Brown fuzzy cylindrical flower spikes in summer; 4-6'; full sun; marshes, swamps and wetlands; zone 3-10.

Verbena hastate (Blue vervain)


Blue to purple flowers in summer to fall; 4-6'; full sun to part shade; meadows, swamps, and floodplains; zone 3-9.

Vernonia noveboracensis (New York ironweed)

Purple flowers in late summer to fall; 4-8'; full sun to part shade; stream banks, fields and fresh water marshes; zone 5-8.

Zizia aurea (Golden Alexander)

Golden yellow clusters in spring; 24-30"; full sun to part shade; wooded bottomlands, stream banks and floodplains; zone 3-9.



Juncus effusus



Carex vulpinoidea

Wetland - Native Herbaceous Plants

Asclepias incarnata (Swamp milkweed)

Pink flowers in spring; 4-6'; full sun to part shade; marshes, meadows, swamps & woods; zone 3-6.

Caltha palustris (Marsh marigold)

Bright yellow flowers in early spring; 10-12"; full sun to part shade; marshes, swamps and wet meadows; zone 3-7.

Chelone glabra (White turtlehead)

White flowers in late summer to fall; 24-36"; full sun to part shade; upland meadows, fields & stream banks; zone 3-8.

Eupatorium dubium (Joe-Pye weed)

Purple flowers in summer to fall; 2-5'; full sun to part shade; swamps, bogs and marshes; zone 3-9.

Eupatorium fistulosum (Joe-Pye weed)

Purple flowers in summer to fall; 2-10'; full sun to part shade; floodplains, meadows & thickets; zone 3-9.

Eupatorium maculatum (Spotted Joe-Pye weed)

Purple to pale lavender flowers in mid to late summer; 2-6'; full sun to part shade; floodplains, swamps and thickets; zone 4-8.

Eupatorium perfoliatum (Common boneset)

White flowers in late summer to fall; 4-6'; full sun to part shade; floodplains, swamps, stream banks and meadows; zone 3-8.

Hibiscus moscheutos (Swamp rosemallow)

Large pink to white flowers in late summer; 3-7'; full sun to part shade; marshes and lake shores; zone 5-8.

Iris versicolor (Blue flag)

Blue flowers in early summer; 3'; full sun to part shade; fresh to moderately brackish tidal marshes, meadows & swamps; zone 3-9.

Lobelia cardinalis (Cardinal flower)

Red flowers in summer to fall; 24-48"; full sun to part shade; fresh water marshes, wooded swamps, river & stream banks; zone 3-9.

Mimulus ringens (Monkeyflower)

Lilac-purple flowers in summer to fall; 1-3'; full sun to part shade; open swamps, meadows and shores; zone 3-8.

Peltandra virginica (Arrow arum)

Arrowhead-shaped leaves and white flowers in spring; 18-24"; full sun to part shade; fresh to moderately brackish marshes; zone 5-9.

Pontederia cordata (Pickerelweed)

Purple flowers in summer and fall; 2-4'; full sun; fresh to moderately brackish marshes, shallow ponds or lakes; zone 3-10.

Wetland - Native Grasses and Grass-like Plants

Acorus americanus (Sweet flag)

Spicy scented grass-like foliage; 2-3'; full sun to part shade; swamps, bogs, stream edges and meadows; zone 3-6.

Ammophila breviligulata (American beach grass)

Stiff, erect with subsurface rhizomes; 2-4'; full sun; most common dune plant along the Atlantic coast; zone 3-9.

Carex comosa (Longhair sedge)

Cool season grass with bottle-brush seed heads; 4-5'; full sun to part shade; fresh and moderately brackish wetlands; zone 4-7.

Carex crinata (Fringed sedge)

Evergreen with creeping rhizomes; 1-3'; full sun to part shade; bottomlands and margins of streams, ponds and marshes; zone 3-8.

Carex pensylvanica (Pennsylvania sedge)

Spreading fine textured green foliage; 8-10"; part shade to full shade; open or rocky woods and wooded slopes; zone 4-8.

Carex stipata (Awl fruited sedge)

Golden yellow seed heads in summer; 3-6'; full sun to part shade; bottomlands and moist woodlands and swamps; zone 3-9.

Carex vulpinoidea (Fox sedge)

Clump grower that tolerates flooding to 6'; 1-3'; full sun to part shade; shallow marshes, wet meadows, swamps & prairies; zone 3-7.

Juncus effusus (Soft rush)

Clump-forming, stiff, upright foliage; 2-4'; full sun to part shade; freshwater wetlands, marshes and ditches; zone 2-9.

Scirpus cyperinus (Wool grass)

Large clumps form extensive colonies; 4-6'; full sun; freshwater marshes, swamps, forested wetlands, ponds and bogs; zone 4-8.

Scirpus pungens (Common three-square)

Dark green foliage and brown flower spikes; 4'; full sun; freshwater and brackish marshes, shores and shallow water; zone 3-10.

Scirpus validus (Soft-stemmed bulrush)

Triangular dark green stems spread rapidly; 6-8'; full sun; fresh and brackish marshes, pond edges and shallow waters; zone 3-9.

Spartina alterniflora (Smooth cordgrass)

Smooth, hollow stems; good for shore stabilization and seaside habitats; 2-7'; full sun; salt and brackish tidal marshes; zone 3-9.

Spartina patens (Salt-meadow cordgrass)

Dark green leaves are narrow and wiry; bank stabilizer; 1-4'; full sun; fresh and brackish marshes, shores, wet meadows; zone 5-9.

Minimum order of 500 plugs - See page 144 for non-native Mr. Big Stuff